Census 2000 Special EEO Tabulation Technical Documentation for SAS Datasets

Appendix 4.7B: Data Structure of the Residence and Work Site Only SAS Datasets: Hawaii

SAS Datasets Name	Number of Data Count Variables	Names of Data Count Variables	Data Structure
hitable1.sas7bdat	31	t1cell1-t1cell30, total	One observation for each Census Detailed Occupation (472 categories) for each unique geographic area. Universe is Civilian Labor Force (Employment Status Recode (ESR)=1, 2, and 3) ¹
hitable2.sas7bdat	31	t2cell1-t2cell30, total	One observation for each OPM Occupation Group (270 categories) for each unique geographic area. Universe is Civilian Labor Force (ESR=1, 2, and 3)
hitable3.sas7bdat	31	t3cell1-t3cell30, total	One observation for each EEO Occupation Group (15 categories) for each unique geographic area. Universe is Civilian Labor Force (ESR=1, 2, and 3)
hitable4.sas7bdat	31	t4cell1-t4cell30, total	One observation for each EEO-1 Job Category (10 categories) for each unique geographic area. Universe is Civilian Labor Force (ESR=1, 2, and 3)
hitable5.sas7bdat	31	t5cell1-t5cell30, total	One observation for each State and Local Government Job Category (9 categories) for each unique geographic area. Universe is Civilian Labor Force (ESR=1, 2, and 3)
hitable6.sas7bdat	601	t6cell1-t6cell600, total	One observation for each unique geographic area. Universe is Civilian Labor Force (ESR=1, 2, and 3)

SAS Datasets Name	Number of Data Count Variables	Names of Data Count Variables	Data Structure
hitable7.sas7bdat	721	t7cell1-t7cell720, total	One observation for each unique geographic area. Universe is Civilian Labor Force (ESR=1, 2, and 3)
hitable21.sas7bdat	151	t21cell1-t21cell150, total	One observation for each Census Detailed Occupation (471 categories) for each unique geographic area. Universe is Employed At Work (ESR=1)
hitable22.sas7bdat	121	t22cell1-t22cell120, total	One observation for each Census Detailed Occupation (471 categories) for each unique geographic area. Universe is Employed At Work (ESR=1)
hitable23.sas7bdat	2641	t23cell1-t23cell2640, total	One observation for each Census Detailed Occupation (471 categories) for each unique geographic area. Universe is Employed At Work (ESR=1)
hitable24.sas7bdat	241	t24cell1-t24cell240, total	One observation for each Census Detailed Occupation (471 categories) for each unique geographic area. Universe is Employed At Work (ESR=1)

The **ESR** variable on the Census 2000 Sample file represents the employment status of people, 16 years and over. The Civilian Labor Force is defined as people with an **ESR** value of 1 (Employed at Work), 2 (Employed with a Job, but not at Work), or 3 (Unemployed).

NOTES:

See Appendix 4.3 for the contents of each of these SAS datasets. These contents have labels that describes the characteristics associated with each data count variable. The number of data count variables depends on the number of unique combinations of characteristics represented on each observation. Hitable1.sas7bdat has, for example, 30 specific data counts on each observation, reflecting the 30 Race/Ethnicity (15 categories) and Gender (2 categories) combinations presented in that dataset.

The number of occupation categories in the Resident datasets (hitable1.sas7bdat to hitable5.sas7bdat) differs from the number

in the comparable Work Site/Residence (Work Flow) datasets (hitable8.sas7bdat to hitable12.sas7bdat and hitable14.sas7bdat to hitable18.sas7bdat). Each of these Resident datasets has a residual occupation category for people who were unemployed and had no civilian work experience since 1995. Hitable2.sas7bdat has an additional residual category for people in Non-OPM occupations. Except for the use of the Non-OPM occupation category in hitable9.sas7bdat and hitable15.sas7bdat, these residual occupation categories do not apply to the Work Site/Residence (Work Flow) datasets.